Scrial No. 09/637,504

## IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application.

+4089564404

## STATUS OF CLAIMS

## Claims

l. (Previously presented): A meter adapted to receive a test strip including a bladder, wherein said meter comprises a gimbaled bladder actuator, said gimbaled bladder actuator comprising:

a gimbaled compression pad comprising a holder and a compression member including a substantially planar compression element wherein said holder is attached to said meter at a gimbaled interface; and

an actuator in contact with said holder for contacting said gimbaled compression pad with said bladder in a manner sufficient to compress said bladder by movement of said actuator when said test strip is positioned in said meter.

- (Previously presented): The gimbaled bladder actuator according to Claim
  wherein said actuator comprises a lever arm under the control of an automatic
  movement means.
- 3. (Original): The gimbaled bladder actuator according to claim 2, wherein said automatic movement means comprises a solenoid.
- 4. (Original): The gimbaled bladder actuator according to Claim 2, wherein said lever arm is attached to said movement means by a chassis.
- 5. (Previously presented): A meter adapted to receive a test strip including a bladder, wherein said meter comprises a gimbaled bladder actuator, said gimbaled bladder actuator comprising:

Serial No. 09/637,504

- (a) a gimbaled compression pad comprising a holder and a compression member including a substantially planar compression element wherein said holder is attached to said meter at a gimbaled interface; and
- (b) actuator in contact with said holder for contacting said gimbaled compression pad with said bladder in a manner sufficient to compress said bladder by movement of said actuator when said test strip is positioned in said meter, wherein said actuating means comprises:
  - (i) a lever arm;
  - (ii) a chassis; and
  - (iii) a solenoid.
- 6. (Original): The gimbaled bladder actuator according to Claim 5, wherein said gimbaled compression pad has an actual area ranging from about 0.19 square inches to 0.21 square inches.
- 7. (Original): The gimbaled bladder actuator according to Claim 5, wherein said arm moves said gimbaled compression pad against a bladder in a manner sufficient to apply uniform pressure to said bladder.
- 8. (Original): The gimbaled bladder actuator according to Claim 5, wherein said gimbaled compression pad is capable of placing a compressive force on a bladder ranging from about 1 lb to about 1.5 lb.
- 9. (Previously presented): An automatic meter for reading a test strip including a bladder, said meter comprising:
- a gimbaled bladder actuator, wherein said gimbaled bladder actuator comprises:
  - (a) a gimbaled compression pad comprising a holder and a compression member including a substantially planar compression element wherein said holder is attached to said meter at a gimbaled interface; and

Serial No. 09/637,504

- (b) an actuator in contact with said holder for contacting said gimbaled compression pad with said bladder in a manner sufficient to compress said bladder by movement of said actuator when said test strip is positioned in said meter.
- 10. (Previously presented): The automatic meter according to Claim 9, wherein said actuator comprises a lever arm under the control of an automatic movement means.
- 11. (Original): The automatic meter according to Claim 10, wherein said automatic movement means is a solenoid movement means.
- 12. (Original): The automatic meter according to Claim 10, wherein said lever arm is attached to said movement means by a chassis.
- 13. (Original): The automatic meter according to Claim 9, wherein said gimbaled compression pad has an actual area ranging from about 0.19 square inches to 0.21 square inches.
- 14. (Original): The automatic meter according to Claim 9, wherein said arm moves said gimbaled compression pad against a bladder in a manner sufficient to apply uniform pressure to said bladder.
- 15. (Original): The automatic meter according to Claim 9, wherein said gimbaled compression pad is capable of placing a compressive force on a bladder ranging from about 1 lb to 1.5 lb.

Claims 16-20 (Cancelled)